



D.J. Papadopoulos, MD
Amy E. Kim, MD
Lee Coulter, PA-C
Neely Hoyt, PA-C

875 Johnson Ferry Rd. • Suite 300 • Atlanta, GA 30342
Tel: 404.257.9933 • Fax: 404.257.9931 • Pager: 770.417.9745

INSTRUCTIONS FOR POST-OPERATIVE WOUND CARE FOR MOHS AND EXCISIONS

- 1. Leave the bandage on for 24 hours. Do not get the bandage wet.**
- 2. You may wash and shampoo as you normally would after the bandage is removed.**
- 3. It is not usually necessary to cover the area again unless you want to.**
- 4. After the bandage is removed, please clean the area TWICE a day with Hydrogen Peroxide and then pat dry. Do this until the sutures are removed.**
- 5. Use the Antibiotic ointment given to you once a day for the first three days only.**
- 6. You may take Tylenol or Extra-Strength Tylenol for any discomfort. No Aspirin or Advil products for 3 days.**
- 7. If bleeding should occur, apply 20 minutes of constant pressure. If bleeding does not stop please call the main office number or the doctor's pager after hours.**
- 8. Please call the office with any questions or concerns you may have.**

Dr. Papadopoulos' pager #770-417-9745

Dr. Amy Kim's pager #770-553-4612